

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.04.2015

Version No. 5

Revision: 22.04.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** UZIN NC 160
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**
  - SU19 Building and construction work
  - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
  - SU21 Consumer uses: Private households / general public / consumers
- **Product category** PC9b Fillers, putties, plasters, modelling clay
- **Application of the substance / the mixture** Smoothing Compound
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
  - Uzin Ltd.
  - Unit 2, Mitchell Court
  - Central Park, Rugby
  - Warwickshire, CV23 0UY,
  - Telephone +44 (0) 1788 530 080
  - Fax +44 (0) 1788 536508
  - Email info@uzin.co.uk
- **Further information obtainable from:**
  - Product safety department
  - email: msds.info@uzin-utz.com
- **1.4 Emergency telephone number:**
  - Medical emergencies: +49 30 30 686 790
  - Transportation emergencies: +49 621 60 43 333

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xi; Irritant

R36: Irritating to eyes.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Additional information:** Hotline for allergy information +49 (0)731 4097-0

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**

Portland cement
- **Hazard statements**

H318 Causes serious eye damage.

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.04.2015

Version No. 5

Revision: 22.04.2015

**Trade name: UZIN NC 160**

(Contd. of page 1)

**Precautionary statements**

- P102 Keep out of reach of children.
- P261 Avoid breathing dust.
- P280 Wear protective gloves / eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.

· **Additional information:** Low in Chromate (< 2 ppm) acc. Regulation (EC) No 1907/2006 (REACH).




**2.3 Other hazards****Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 65997-15-1	Portland cement	5 - <10%
EINECS: 266-043-4	 Xi R37/38-41  Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT SE 3, H335	

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**

CO<sub>2</sub> powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

· **Protective equipment:** Wear dust mask.

**SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures** Wear dust mask.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.04.2015

Version No. 5

Revision: 22.04.2015

**Trade name: UZIN NC 160**

(Contd. of page 2)

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Keep out of the reach of children.

Prevent formation of dust.

Wear suitable protective clothing, gloves and eye/face protection.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Rinse tools with water and soap immediately after use.

Wash hands before breaks and at the end of work.

· **Information about fire - and explosion protection:** No special measures required.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Store in dry conditions.

Protect from humidity and water.

· **7.3 Specific end use(s)** No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

#### · 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

**65997-15-1 Portland cement**

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

#### · 8.2 Exposure controls

##### · Personal protective equipment:

##### · General protective and hygienic measures:

Prevent formation of dust.

Wear suitable protective clothing, gloves and eye/face protection.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

##### · Respiratory protection:

Not required.

When mixing wear suitable dust-mask.

Thorough ventilation should be ensured during and after the installation and drying time of the product.

##### · Protection of hands:



Use nitrile impregnated cotton-gloves

· **Material of gloves** Nitrile impregnated cotton-gloves

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.04.2015

Version No. 5

Revision: 22.04.2015

**Trade name: UZIN NC 160**

(Contd. of page 3)

- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

Form: Solid

Colour: Grey

· Odour: Light

· Odour threshold: Not determined.

· pH-value at 20 °C: 11

##### · Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not determined.

##### · Ignition temperature:

Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

##### · Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapour pressure: Not applicable.

· Density: Not determined.

· Relative density: Not determined.

· Vapour density: Not applicable.

· Evaporation rate: Not applicable.

##### · Solubility in / Miscibility with water:

Insoluble.

Sets with water.

· Partition coefficient (n-octanol/water): Not determined.

##### · Viscosity:

Dynamic: Not applicable.

Kinematic: Not applicable.

· 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

#### · 10.1 Reactivity

#### · 10.2 Chemical stability

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known.

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.04.2015

Version No. 5

Revision: 22.04.2015

Trade name: UZIN NC 160

(Contd. of page 4)

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

· **11.1 Information on toxicological effects**

· **Acute toxicity:**

· **Primary irritant effect:**

· **on the skin:** Slightly irritant effect may occur.

· **on the eye:** Strong irritant with the danger of severe eye injury.

· **Sensitisation:**

No sensitising effects known.

Low in Chromate (< 2 ppm) acc. Regulation (EC) No 1907/2006 (REACH).

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:** Do not allow product to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Do not allow product to reach sewage system.

Mix product residues with water, allow to harden, then dispose of as construction waste.

· **Uncleaned packaging:**

· **Recommendation:** Empty paper packaging is recyclable.

**SECTION 14: Transport information**

· **14.1 UN-Number**

· **ADR, ADN, IMDG, IATA** Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA** Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** Void

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.04.2015

Version No. 5

Revision: 22.04.2015

**Trade name: UZIN NC 160**

(Contd. of page 5)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	-

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R37/38 Irritating to respiratory system and skin.
- R41 Risk of serious damage to eyes.

· **Department issuing MSDS:** Product safety department

· **Contact:**

Dr. M. Zieger, phone +49 (0)731 4097 207  
E-Mail: msds.info@uzin-utz.com

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· **\* Data compared to the previous version altered.**